

SoCalGas, June 13th, 2025

Rulemaking (R.) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with
Senate Bill 1371, Leno.

In Response to Data Request, R15-01-008 2025 June Report

Appendix 5; Rev. 03/27/2025

Notes:

Use a formula-derived value with the formula used in the Annual Emissions column. Do not use a copy and paste-as-value.

At the end of Annual Emissions Column, add a summation total in a cell for a column total, and then highlight orange.

Distribution M&R Station Leaks and Emissions (Informational Purposes Only)

Number of Stations	Station Classification	Emission Factor (Mscf/yr)	Annual Emissions (Mscf)	Explanatory Notes / Comments
6	A1	40.6	244	2024 EOY Above Grade < 100 psi Actual Inlet Press
62	A2	896.50	55,583	2024 EOY Above Grade 100 - 300 psi Actual Inlet Press
164	A3	1,684.50	276,258	2024 EOY Above Grade > 300 psi Actual Inlet Press
128	B1	0.96	123	2024 EOY Below Grade < 100 psi Actual Inlet Press
946	B2	1.84	1,741	2024 EOY Below Grade 100 - 300 psi Actual Inlet Press
658	B3	12.18	8,012	2024 EOY Below Grade > 300 psi Actual Inlet Press
408	F1	12.20	4,978	2024 EOY Farm Tap < 100 psi Actual Inlet Press
6,834	F2	12.20	83,375	2024 EOY Farm Tap 100 - 300 psi Actual Inlet Press
2,151	F3	12.20	26,242	2024 EOY Farm Tap > 300 psi Actual Inlet Press
		Sum Total	456,555	

SoCalGas, June 13th, 2025
Rulemaking (R.) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with Senate Bill 1371, Leno.
In Response to Data Request, R15-01-008 2025 June Report
Appendix 5, Rev. 03/27/2025

Notes:
Use a formula-derived value with the formula used in the Annual Emissions column. Do not use a copy and paste-as-value.
At the end of Annual Emissions Column, add a summation total in a cell for a column total, and then highlight orange.
After completing the tab on "Leak Based - Station Emissions" and "Station - Unknown Leaks" fill in the table for "Leak Based - Emissions Summary."

Distribution M&R Station Leaks:

ID	Geographic Location	M&R Station or Farm Tap Classification	Component Type	Incoming Pressure (psi)	Leak Grade	Upgraded Leak Grade or Downgraded Leak Grade	Leak Discovery Method	Discovery Date (MM/DD/YYYY)	Re-Grade Date (MM/DD/YYYY)	Repair Date (MM/DD/YYYY)	Scheduled Repair Date (MM/DD/YYYY)	Reason for Not Scheduling a Repair	Number of Days Leaking	Number of Days to Repair	Emission Factor (Mscf/Day)	Annual Emissions (Mscf)	Explanatory Notes / Comments
----	---------------------	--	----------------	-------------------------	------------	--	-----------------------	-----------------------------	----------------------------	--------------------------	------------------------------------	------------------------------------	------------------------	--------------------------	----------------------------	-------------------------	------------------------------

Not Applicable

Sum Total Emissions from leaks carried over from before 2024 Provided as an example.

Sum Total Emissions from leaks discovered in 2024 Provided as an example.

Sum Total Emissions from O&M Leaks discovered in 2024 Provided as an example.

Grand Total of all 2024 emissions from leaks Provided as an example.

SoCalGas, June 13th, 2025

Rulemaking (R.) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with Senate Bill 1371, Leno.
In Response to Data Request, R15-01-008 2025 June Report
Appendix 5; Rev. 03/27/2025

Notes:
If highlighted cells are filled in, the other cells will auto-populate

Summary of Data by Distribution M&R Station Results for Annual System Leak Rate and Resulting Number of Unknown Leaks calculated for M&R Station

M&R Station Classification; Leak Grade or Bubble Size Category if available.	Total System M&R Station per survey Cycle	M&R Station on Annual Survey [MX,A]	M&R Station on Multi-Year Survey Cycles [MXTot]	Survey Interval (yrs) [I]	M&R Station Surveyed Annually from Multi-Year Survey Cycles [MX,I]	Total # of Leaks Detected from Survey [N _{XL}]	Annual Leak Rate [Leaks / Meter] $R_X = \frac{N_{XL}}{M_{XA} + (I \times M_{XJ})}$	# of Unknown Leaks $N_{X,unk} = \bar{R}_X \times (M_X^{Tot} - M_{XJ}) \times \frac{I}{2}$	Total # of Leaks Detected from O&M* [N _{X,O}]
Not Applicable				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	
				3			-	-	
				5			-	-	
				1			-	-	

Rulemaking (R.) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with Senate Bill 1371, Leno.
In Response to Data Request, R15-01-008 2025 June Report
Appendix 5; Rev. 03/27/2025

Use a formula-derived value with the formula used in the Annual Emissions column. Do not use a copy and paste-as-value. At the end of Annual Emissions Column, add a summation total in a cell for a column total, and then highlight orange

ID	Geographic Location	Damage Type	Pipe Material	Pipe Size (nominal)	Pipe Age (months)	Pressure (psi)	Leak Grade	Above Ground or Below Ground	Discovery Date (MM/DD/YY)	Repair Date (MM/DD/YY)	Number of Days Leaking	Emission Factor (Mscf/Day)	Annual Emissions (Mscf)	Explanatory Notes / Comments
												Sum Total	0	

Rulemaking (R) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with Senate Bill 1371, Leno.
In Response to Data Request, R15-01-008 2025 June Report
Appendix 5; Rev. 03/27/2025

Notes:
Use a formula-derived value with the formula used in the Annual Emissions column. Do not use a copy and paste-as-value.
At the end of Annual Emissions Column, add a summation total in a cell for a column total, and then highlight orange

Distribution M&R Station Blowdowns:				
ID	Geographic Location	Number of Blowdown Events	Annual Emissions (Mscf)	Explanatory Notes / Comments
N/A	SoCalGas Territory	17,446	69.8	External District Reg. Inspection at Distribution M&R Stations - Estimated avg. gas vented = 4 scf/msp
N/A	SoCalGas Territory	38	1.1	Filter Change out or Filter Inspection w/parts replacement at Distribution M&R Stations - Estimated avg. gas vented = 30 scf/ea
N/A	SoCalGas Territory	76	2.3	Quarterly Orifice Plate Inspection at BTU District Meters - Estimated avg. gas vented = 30 scf/msp
N/A	SoCalGas Territory	2,220	26.6	Reg. Change out & Internal Reg. Inspection at Distribution M&R Stations - Estimated avg. gas vented = 12 scf/ea
N/A	SoCalGas Territory	243	4.9	Relief Valve Inspection at Distribution M&R Stations - Estimated avg. gas vented = 20 scf/msp (annual test with Nitrogen, gas vented is volume of gas in valve)
N/A	SoCalGas Territory	1,084	3.3	Reg. Change out & Internal Reg. Inspection at Tap Facilities - Estimated avg. gas vented = 3 scf/ea.
N/A	SoCalGas Territory	80	1.6	Relief Valve Inspection at Tap Facilities. Estimated avg. gas vented = 20 scf/msp (annual test with Nitrogen, gas vented is volume of gas in valve).
N/A	SoCalGas Territory	3,791	3.8	External Reg. Inspection at Tap Facilities - Estimated avg. gas vented = 1 scf/msp
N/A	SoCalGas Territory	171	2.1	Straight Install/Remove Reg Activity at Distribution M&R Stations - Estimated avg. gas vented = 12 scf/ea
N/A	SoCalGas Territory	104	0.5	Filter Change out or Filter Inspection w/parts replacement at Tap Facilities - Estimated avg. gas vented = 5 scf/ea
Sum Total			116	

Rulemaking (R.) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with Senate Bill 1371, Leno.
In Response to Data Request, R15-01-008 2025 June Report
Appendix 5; Rev. 03/27/2025

At the end of Annual Emissions Column, add a summation total in a cell for a column total, and then highlight orange

Distribution M&R Station Component Vented Emissions:

[illegible]

SoCalGas, June 13th, 2025
Rulemaking (R) 15-01-008 to Adopt Rules and Procedures Governing Commission Regulated Natural Gas Pipelines and Facilities to Reduce Natural Gas Leaks Consistent with Senate Bill 1371, Leno.
In Response to Data Request, R15-01-008 2025 June Report
Appendix 5: Rev. 03/27/2025

Notes:
The data collected on this sheet is for informational purposes and will not be included in the emissions inventory for 2024. The worksheet is designed to track actual leaks for future reference and to determine if an actual leak based emission accounting is feasible for M&R stations.
If you recant data using this table and you only leak survey part of your system, you must extrapolate emissions from leaks up to account for emissions from your entire system for the year.
Use a formula-derived value with the formula used in the Annual Emissions Column. Do not use a copy and pasted value.
At the end of Annual Emissions Column, add a summation total in a cell for a column total, and then highlight orange.
The emissions captured on this tab represent the emissions associated unintentional leaks that if repaired would not leaking. If the component is releasing gas or "bleeding" as a result of its design or function then it is not to be captured in this tab.

Distribution M&R Station Component Fugitive Leaks:

ID	Geographic Location	Station Classification	Device Type	Bleed Rate	Manufacturer	Pressure (psf)	Discovery Date (MM/DD/YY)	Repair Date (MM/DD/YY)	Reggie Date (MM/DD/YY)	Number of Days Leaking	Emission Factor (Mscf/day)	Annual Emissions (Mscf)	Explanatory Notes / Comments
100026770230		93564 B2	C			Greater than 60	11/21/2024	11/21/2024		326	0.043	14.0	Farm Tap Leak
100026132055		90670 B2	C			Greater than 60	7/9/2024	7/9/2024		191	0.043	8.2	Farm Tap Leak
100026819081		90221 A3	O			Greater than 60	11/21/2024	11/21/2024		326	0.043	14.0	M&R Leak
100025452616		93203 B3	C			Greater than 60	3/15/2024	3/15/2024		75	0.043	3.2	M&R Leak
100024929428		91390 A3	C			Greater than 60	1/26/2024	1/26/2024		26	0.043	1.1	M&R Leak
100026424436		91350 B2	C			Greater than 60	10/8/2024	10/8/2024		282	0.043	12.1	M&R Leak
100024365890		90670 A3	C			Greater than 60	7/23/2024	7/23/2024		205	0.043	8.8	M&R Leak
100025415940		93013 B2	C			Greater than 60	1/26/2024	1/26/2024		26	0.043	1.1	M&R Leak
100024931296		90265 B2	C			Greater than 60	7/8/2024	7/8/2024		212	0.043	9.1	Farm Tap Leak
100026930129		92703 B2	C			Greater than 60	12/11/2024	12/11/2024		346	0.043	14.9	M&R Leak
100025936285		91502 B2	C			Greater than 60	8/1/2024	8/1/2024		214	0.043	9.2	M&R Leak
100025655658		92595 B3	BV		Rockwell (Std.)	Greater than 60	4/16/2024	4/16/2024		107	0.014	1.5	M&R Leak
100026266633		92241 B3	C			Greater than 60	8/9/2024	8/9/2024		222	0.043	9.5	Farm Tap Leak
100024931271		93221 A2	C			Greater than 60	1/11/2024	1/11/2024		11	0.043	0.5	Farm Tap Leak
100025544538		92557 B3	BV		Kentest	Greater than 60	2/21/2024	2/21/2024		52	0.014	0.7	M&R Leak
100025936025		90250 B2	C			Greater than 60	6/13/2024	6/13/2024		165	0.043	7.1	M&R Leak
100026697560		92509 A2	C			Greater than 60	10/28/2024	10/28/2024		302	0.043	13.0	M&R Leak
100025682357		93060 B3	C			Greater than 60	3/16/2024	3/16/2024		76	0.043	3.3	Farm Tap Leak
100026647255		93510 A3	C			Greater than 60	11/17/2024	11/17/2024		307	0.043	13.2	M&R Leak
100025479215		92373 A2	O			Greater than 60	3/5/2024	3/5/2024		65	0.043	2.8	M&R Leak
100024584869		92372 B2	C			Greater than 60	3/15/2024	3/15/2024		75	0.043	3.2	M&R Leak
100025488175		92320 A2	C			Greater than 60	2/12/2024	2/12/2024		33	0.043	1.4	Farm Tap Leak
100025453124		92590 B3	C			Greater than 60	3/19/2024	3/19/2024		79	0.043	3.4	Farm Tap Leak
100025130726		91709 A2	C			Greater than 60	1/11/2024	1/11/2024		11	0.043	0.5	M&R Leak
100027018425		92845 B3	C			Greater than 60	12/23/2024	12/23/2024		358	0.043	15.4	M&R Leak
100026125301		92831 A2	C			Greater than 60	7/10/2024	7/10/2024		192	0.043	8.3	M&R Leak
100026447173		92236 A3	C			Greater than 60	11/5/2024	11/5/2024		110	0.043	13.3	M&R Leak
100026761409		91504 B3	C			Greater than 60	11/4/2024	11/4/2024		309	0.043	13.3	M&R Leak
100026125792		93221 B2	C			Greater than 60	7/8/2024	7/8/2024		190	0.043	8.2	M&R Leak
100026326023		93243 B2	C			Greater than 60	7/25/2024	7/25/2024		207	0.043	8.9	Farm Tap Leak
100025691359		93221 A2	C			Greater than 60	3/8/2024	3/8/2024		68	0.043	2.9	Farm Tap Leak
100024524242		92240 B2	C			Greater than 60	3/5/2024	3/5/2024		65	0.043	2.8	M&R Leak
100024928984		93308 B2	C			Greater than 60	1/24/2024	1/24/2024		24	0.043	1.0	M&R Leak
100025608242		94346 A2	C			Greater than 60	5/20/2024	5/20/2024		141	0.043	6.1	Farm Tap Leak
100026055401		93219 A3	C			Greater than 60	5/23/2024	5/23/2024		144	0.043	6.2	Farm Tap Leak
100025718093		92270 B3	R		Mooney	Greater than 60	5/15/2024	5/15/2024		136	0.02	2.7	M&R Leak
100026125594		90609 B2	C			Greater than 60	9/11/2024	9/11/2024		255	0.043	11.0	M&R Leak
100026447174		92201 B2	C			Greater than 60	11/13/2024	11/13/2024		318	0.043	13.7	M&R Leak
100026416351		91505 B2	C			Greater than 60	9/8/2024	9/8/2024		274	0.043	11.8	M&R Leak
100024887660		92582 B3	C			Greater than 60	11/6/2024	11/6/2024		311	0.043	13.4	Farm Tap Leak
100025463188		90265 B2	C			Greater than 60	3/6/2024	3/6/2024		66	0.043	2.8	Farm Tap Leak
100025682704		91710 B2	C			Greater than 60	9/19/2024	9/19/2024		263	0.043	11.1	Farm Tap Leak
100026771771		92830 B2	BV		Mueller	Greater than 60	12/5/2024	12/5/2024		340	0.014	4.8	Farm Tap Leak
100026424024		93065 B2	C			Greater than 60	9/11/2024	9/11/2024		255	0.043	11.0	M&R Leak
100025757116		92201 B2	BV		Rockwell (Std.)	Greater than 60	3/27/2024	3/27/2024		87	0.014	1.3	M&R Leak
100025415441		93272 B2	C			Greater than 60	1/13/2024	1/13/2024		13	0.043	0.6	Farm Tap Leak
100025451542		92407 B2	BV			Greater than 60	4/22/2024	4/22/2024		113	0.014	1.6	Farm Tap Leak
100025260739		92509 A2	C			Greater than 60	2/21/2024	2/21/2024		52	0.043	2.2	M&R Leak
100025621086		93147 B2	C			Greater than 60	11/6/2024	11/6/2024		311	0.043	13.4	Farm Tap Leak
100026926723		93101 A3	C			Greater than 60	12/11/2024	12/11/2024		346	0.043	14.9	M&R Leak
100024548635		92411 B2	C			Greater than 60	10/7/2024	10/7/2024		281	0.043	12.1	M&R Leak
100026265891		92861 B2	C			Greater than 60	7/11/2024	7/11/2024		183	0.043	7.9	M&R Leak
100025597150		92201 B2	BV		Rockwell (Std.)	Greater than 60	2/29/2024	2/29/2024		60	0.014	0.8	M&R Leak
100026447252		91387 B3	C			Greater than 60	11/6/2024	11/6/2024		311	0.043	13.4	M&R Leak
100025935730		92705 B3	C			Greater than 60	6/10/2024	6/10/2024		162	0.043	7.0	M&R Leak
100026473808		93314 A3	C			Greater than 60	9/19/2024	9/19/2024		263	0.043	11.3	Farm Tap Leak
100026552474		92571 A3	C			Greater than 60	10/4/2024	10/4/2024		278	0.043	12.0	Farm Tap Leak
100026407117		92548 A2	O			Greater than 60	9/18/2024	9/18/2024		262	0.043	11.1	M&R Leak
100025778645		92201 A2	C			Greater than 60	5/6/2024	5/6/2024		127	0.043	5.5	Farm Tap Leak
100024401870		93274 B3	C			Greater than 60	7/26/2024	7/26/2024		208	0.043	8.9	Farm Tap Leak
100026447243		91206 B3	C			Greater than 60	11/19/2024	11/19/2024		324	0.043	13.9	M&R Leak
100026272755		93535 B3	C			Greater than 60	7/15/2024	7/15/2024		197	0.043	8.5	M&R Leak
100026266642		93274 A2	C			Greater than 60	8/13/2024	8/13/2024		226	0.043	9.7	Farm Tap Leak
100025607758		93250 B2	C			Greater than 60	4/18/2024	4/18/2024		109	0.043	4.7	M&R Leak
100026429740		92840 B2	C			Greater than 60	10/25/2024	10/25/2024		299	0.043	12.9	M&R Leak
100026274090		92252 B3	BV		Mueller	Greater than 60	8/26/2024	8/26/2024		239	0.014	3.3	Farm Tap Leak
100026360700		90037 B2	C			Greater than 60	4/2/2024	4/2/2024		93	0.043	4.0	M&R Leak
100026368836		90265 A2	C			Greater than 60	8/26/2024	8/26/2024		239	0.043	10.3	Farm Tap Leak
100025935772		90740 B3	C			Greater than 60	7/8/2024	7/8/2024		190	0.043	8.2	Farm Tap Leak
100026335642		92192 A2	C			Greater than 60	7/16/2024	7/16/2024		198	0.043	8.5	Farm Tap Leak
100026118231		91706 B3	C			Greater than 60	6/4/2024	6/4/2024		156	0.043	6.7	M&R Leak
100025320213		91536 A2	C			Greater than 60	1/11/2024	1/11/2024		11	0.043	0.5	M&R Leak
100024885143		92705 B2	R		Fisher	Greater than 60	1/22/2024	1/22/2024		22	0.02	0.4	M&R Leak
100025934706		93420 A3	BV		Mueller	Greater than 60	6/19/2024	6/19/2024		171	0.014	2.4	Farm Tap Leak
100025344171		93274 A3	C			Greater than 60	1/17/2024	1/17/2024		17	0.043	0.7	Farm Tap Leak
100025549847		93267 B2	C			Greater than 60	2/27/2024	2/27/2024		58	0.043	2.5	M&R Leak
100026521350		91766 B2	C			Greater than 60	8/27/2024	8/27/2024		240	0.043	10.3	Farm Tap Leak
100026501375		93420 A3	BV			Greater than 60	9/19/2024	9/19/2024		263	0.014	3.3	Farm Tap Leak
100026770452		90048 A2	C			Greater than 60	12/13/2024	12/13/2024		348	0.043	15.0	Farm Tap Leak
100025452901		93609 B2	C			Greater than 60	4/8/2024	4/8/2024		99	0.043	4.3	Farm Tap Leak
100025452435		92320 B2	C			Greater than 60	3/1/2024	3/1/2024		61	0.043	2.6	M&R Leak
100026000108	</												

10002693060	93706 B2	C		Greater than 60	12/10/2024	12/10/2024	345	0.043	14.8 Farm Tap Leak
10002483950	92585 B3	R	Fisher	Greater than 60	12/2/2024	1/2/2024	2	0.02	0.0 Farm Tap Leak
10002560823	93656 A3	C		Greater than 60	4/25/2024	4/25/2024	116	0.043	5.0 Farm Tap Leak
10002492828	90291 B1	C		Less than or equal to	1/9/2024	1/9/2024	9	0.043	0.4 M&R Leak
10002577809	92324 A3	C		Greater than 60	5/7/2024	5/7/2024	128	0.043	5.5 M&R Leak
100026770349	93263 B2	R		Greater than 60	12/12/2024	12/12/2024	346	0.043	14.9 Farm Tap Leak
100025111746	93277 B2	R	Fisher	Greater than 60	2/28/2024	2/28/2024	59	0.02	1.2 M&R Leak
100025452672	93654 A2	C		Greater than 60	4/15/2024	4/15/2024	106	0.043	4.6 Farm Tap Leak
100025607580	92595 B3	C		Greater than 60	4/16/2024	4/16/2024	107	0.043	4.6 M&R Leak
100027057421	92878 B3	C		Greater than 60	12/8/2024	12/8/2024	365	0.043	15.7 Farm Tap Leak
100026577667	93257 B2	C		Greater than 60	9/11/2024	9/11/2024	255	0.043	11.0 Farm Tap Leak
100025778915	91343 B2	C		Greater than 60	6/13/2024	6/13/2024	165	0.043	7.1 M&R Leak
100026751338	91340 B2	C		Greater than 60	11/4/2024	11/4/2024	309	0.043	13.1 M&R Leak
100026777870	90265 A2	C		Greater than 60	11/12/2024	11/12/2024	317	0.043	13.6 Farm Tap Leak
100025778703	93442 A3	C		Greater than 60	5/22/2024	5/22/2024	143	0.043	6.1 M&R Leak
100024928422	93510 B2	C		Greater than 60	1/8/2024	1/8/2024	9	0.043	0.4 M&R Leak
10002607938	93021 B2	C		Greater than 60	5/14/2024	5/14/2024	135	0.043	5.8 M&R Leak
100025622469	92250 A2	O		Greater than 60	3/8/2024	3/8/2024	68	0.043	2.9 M&R Leak
100025936111	92252 B3	C		Greater than 60	8/16/2024	8/16/2024	229	0.043	9.8 M&R Leak
100025560355	93651 B3	R	Grove	Greater than 60	4/4/2024	4/4/2024	95	0.02	1.9 M&R Leak
100025778595	92544 B3	C		Greater than 60	5/2/2024	5/2/2024	123	0.043	5.3 M&R Leak
100025822029	90011 B2	BV	Kentest	Greater than 60	4/11/2024	4/11/2024	102	0.014	1.4 M&R Leak
100026575985	90260 A2	C	Fisher	Greater than 60	9/11/2024	9/11/2024	255	0.02	5.1 Farm Tap Leak
100026408480	93725 A2	C		Greater than 60	9/27/2024	9/27/2024	271	0.043	11.7 Farm Tap Leak
100026552656	90670 A1	C		Greater than 60	10/11/2024	10/11/2024	285	0.043	12.3 Farm Tap Leak
100026151715	91340 B3	C		Greater than 60	6/10/2024	6/10/2024	163	0.043	7.0 M&R Leak
100026770170	93308 A2	C		Greater than 60	11/15/2024	11/15/2024	320	0.043	13.8 Farm Tap Leak
100026464340	92236 A3	C		Greater than 60	11/5/2024	11/5/2024	110	0.043	13.3 M&R Leak
100024928552	93274 B2	C		Greater than 60	9/25/2024	9/25/2024	269	0.043	11.6 Farm Tap Leak
100026464359	92236 B3	BV	Rockwell (Std.)	Greater than 60	11/7/2024	11/7/2024	312	0.014	4.4 M&R Leak
100025778729	93250 B3	C		Greater than 60	5/15/2024	5/15/2024	136	0.043	5.8 M&R Leak
100025607928	91423 B3	C		Greater than 60	4/19/2024	4/19/2024	110	0.043	4.7 M&R Leak
100026525149	93681 B2	C		Greater than 60	10/22/2024	10/22/2024	296	0.043	12.7 Farm Tap Leak
100026089113	91436 B3	C		Greater than 60	5/28/2024	5/28/2024	149	0.043	6.4 M&R Leak
100024928494	92335 B2	C		Greater than 60	1/4/2024	1/4/2024	24	0.043	1.0 M&R Leak
100026771177	93308 B2	R	Fisher	Greater than 60	11/14/2024	11/14/2024	319	0.02	6.4 Farm Tap Leak
100024629268	93280 A2	C		Greater than 60	4/29/2024	4/29/2024	120	0.043	5.2 Farm Tap Leak
100026770311	92284 B3	C		Greater than 60	12/19/2024	12/19/2024	354	0.043	15.2 Farm Tap Leak
100026408735	90810 B2	C		Greater than 60	8/1/2024	8/1/2024	214	0.043	9.2 Farm Tap Leak
100026077801	93654 A2	C		Greater than 60	4/16/2024	4/16/2024	107	0.043	4.6 Farm Tap Leak
100025452002	90703 B2	C		Greater than 60	3/5/2024	3/5/2024	65	0.043	2.8 M&R Leak
100024925748	92247 B2	BV	Rockwell (Std.)	Greater than 60	1/23/2024	1/23/2024	23	0.014	0.3 M&R Leak
100025604764	92671 B2	C	Rockwell (Std.)	Greater than 60	4/22/2024	4/22/2024	113	0.043	1.6 M&R Leak
100025260324	90241 B2	C		Greater than 60	2/13/2024	2/13/2024	44	0.043	1.9 M&R Leak
100025549801	93436 A3	BV		Greater than 60	2/22/2024	2/22/2024	53	0.014	0.7 Farm Tap Leak
100026464355	92236 B3	C	Rockwell (Std.)	Greater than 60	11/7/2024	11/7/2024	312	0.014	4.4 M&R Leak
100025936116	92278 A1	C		Less than or equal to	6/26/2024	6/26/2024	178	0.043	7.7 M&R Leak
100026584521	93117 A3	C		Greater than 60	9/13/2024	9/13/2024	257	0.043	11.1 M&R Leak
100025608233	92242 A2	C		Greater than 60	4/26/2024	4/26/2024	117	0.043	5.0 Farm Tap Leak
100026770431	93221 A2	C		Greater than 60	12/1/2024	12/1/2024	346	0.043	14.9 Farm Tap Leak
100025477504	92240 A3	C		Greater than 60	2/6/2024	2/6/2024	37	0.043	1.6 Farm Tap Leak
100025607940	93230 B2	C		Greater than 60	5/14/2024	5/14/2024	135	0.043	5.8 M&R Leak
100026283900	93060 B2	C		Greater than 60	7/11/2024	7/11/2024	193	0.043	8.3 Farm Tap Leak
100026548630	92404 B3	C		Greater than 60	9/27/2024	9/27/2024	271	0.043	11.7 M&R Leak
100026064556	93446 B3	R	Mooney	Greater than 60	7/24/2024	7/24/2024	206	0.02	4.1 M&R Leak
100026381593	93230 B2	C		Greater than 60	9/27/2024	9/27/2024	271	0.043	11.7 Farm Tap Leak
100026054650	91301 B2	BV	Workman (WNM)	Greater than 60	5/21/2024	5/21/2024	142	0.014	2.0 M&R Leak
100024408453	93436 A3	C		Greater than 60	9/13/2024	9/13/2024	257	0.043	11.1 Farm Tap Leak
100026464610	92212 A2	O		Greater than 60	8/16/2024	8/16/2024	229	0.043	9.8 M&R Leak
100026562487	93662 A3	C		Greater than 60	9/5/2024	9/5/2024	249	0.043	10.7 Farm Tap Leak
100026528640	93117 B3	C		Greater than 60	8/28/2024	8/28/2024	241	0.043	10.4 M&R Leak
100024886709	93003 B2	R	Fisher	Greater than 60	1/18/2024	1/18/2024	18	0.02	0.4 M&R Leak
100026874142	92401 A2	C		Greater than 60	11/26/2024	11/26/2024	331	0.043	14.2 Farm Tap Leak
100026770557	91730 B2	BV		Greater than 60	11/8/2024	11/8/2024	313	0.014	4.4 Farm Tap Leak
100026750201	93455 B3	C		Greater than 60	10/31/2024	10/31/2024	305	0.043	13.1 M&R Leak
100024746224	93616 A2	C		Greater than 60	1/12/2024	1/12/2024	2	0.043	0.1 M&R Leak
100026791777	92845 B3	BV	Grove	Greater than 60	8/20/2024	8/20/2024	233	0.014	3.3 M&R Leak
100025778251	92610 B2	C		Greater than 60	5/15/2024	5/15/2024	136	0.043	5.8 M&R Leak
100026770338	92404 A2	C		Greater than 60	12/13/2024	12/13/2024	348	0.043	15.0 Farm Tap Leak
100024930662	90007 B1	C		Less than or equal to	1/11/2024	1/11/2024	11	0.043	0.5 M&R Leak
100025776984	93631 B3	BV	Rockwell (Std.)	Greater than 60	5/15/2024	5/15/2024	136	0.014	1.9 M&R Leak
100025454493	93609 B2	C		Greater than 60	3/20/2024	3/20/2024	80	0.043	3.4 Farm Tap Leak
100026293238	92869 B2	C		Greater than 60	7/8/2024	7/8/2024	190	0.043	8.2 M&R Leak
100026647150	92404 B3	C		Greater than 60	10/28/2024	10/28/2024	302	0.043	13.0 M&R Leak
100026680774	91406 B2	BV	Rockwell (Std.)	Greater than 60	10/11/2024	10/11/2024	285	0.014	4.0 M&R Leak
100024928474	93001 A2	C		Greater than 60	1/25/2024	1/25/2024	25	0.043	1.1 M&R Leak
100025527629	92840 B2	C		Greater than 60	7/22/2024	7/22/2024	204	0.043	8.8 M&R Leak
100026163551	93436 A3	BV		Greater than 60	3/1/2024	3/1/2024	61	0.014	0.9 Farm Tap Leak
100026778906	91360 B2	BV	Rockwell (Std.)	Greater than 60	8/23/2024	8/23/2024	236	0.014	3.3 M&R Leak
100026237723	92620 A2	O		Greater than 60	8/2/2024	8/2/2024	215	0.043	9.2 M&R Leak
100026682929	93121 B2	C		Greater than 60	4/23/2024	4/23/2024	114	0.043	4.9 M&R Leak
100024858087	93276 B3	R	Mooney	Greater than 60	1/3/2024	1/3/2024	3	0.02	0.1 M&R Leak
100025452024	93133 A3	C		Greater than 60	4/8/2024	4/8/2024	99	0.043	4.3 M&R Leak
100026125688	92277 A3	C		Greater than 60	7/8/2024	7/8/2024	190	0.043	8.2 M&R Leak
100026593964	93230 A2	C		Greater than 60	9/18/2024	9/18/2024	262	0.043	11.3 Farm Tap Leak
100025940936	93291 A2	C		Greater than 60	5/8/2024	5/8/2024	129	0.043	5.5 Farm Tap Leak
100024928998	93308 B2	C		Greater than 60	1/16/2024	1/16/2024	16	0.043	0.7 M&R Leak
100024770169	92373 B2	C		Greater than 60	11/8/2024	11/8/2024	313	0.043	13.5 Farm Tap Leak
100025260910	93292 B2	C		Greater than 60	2/28/2024	2/28/2024	59	0.043	2.5 M&R Leak
100026755339	92227 A3	C		Greater than 60	10/11/2024	10/11/2024	305	0.043	13.1 M&R Leak
100026234047	90505 B2	R	Fisher	Greater than 60	8/14/2024	8/14/2024	227	0.02	4.5 M&R Leak
100025157370	90601 A2	C		Greater than 60	2/16/2024	2/16/2024	47	0.043	2.0 Farm Tap Leak
100025508460	93446 B3	BV		Greater than 60	4/8/2024	4/8/2024	99	0.014	1.4 Farm Tap Leak
100026505273	93308 B3	R	Pietro-Florentini	Greater than 60	10/10/2024	10/10/2024	284	0.02	5.7 M&R Leak
100025245517	92553 A3	O		Greater than 60	2/1/2024	2/1/2024	32	0.043	1.4 M&R Leak
100025261096	93065 B2	C		Greater than 60	2/27/2024	2/27/2024	58	0.043	2.5 M&R Leak
100025453061	93257 B2	C		Greater than 60	3/21/2024	3/21/2024	81	0.043	3.5 Farm Tap Leak
100026548174	92276 A3	C		Greater than 60	10/8/2024	10/8/2024	282	0.043	12.1 M&R Leak
100025778806	92263 B3	C		Greater than 60	5/13/2024	5/13/2024	134	0.043	5.8 M&R Leak
100025607182	92604 B3	C		Greater than 60	4/25/2024	4/25/2024	96	0.043	4.1 M&R Leak
100025261089	93510 B2	C		Greater than 60	2/14/2024	2/14/2024	45	0.043	1.9 M&R Leak
100025260673	90302 B2	C		Greater than 60	2/6/2024	2/6/2024	37	0.043	1.6 M&R Leak
100025979448	93551 A3	C		Greater than 60	5/7/2024	5/7/2024	128	0.043	5.5 M&R Leak
100025940820	92372 A2	C		Greater than 60	5/7/2024	5/7/2024	131	0.043	5.6 Farm Tap Leak
100025559770	93551 B3	R	Fisher	Greater than 60	4/10/2024	4/10/2024	101	0.02	2.0 M&R Leak
100026647253	91387 B3	C		Greater than 60	11/7/2024	11/7/2024	313	0.043	13.1 M&R Leak
100026626424	91403 A2	O		Greater than 60	11/1/2024	11/1/2024	306	0.043	13.2 M&R Leak
100024266638	93065 B2	C		Greater than 60	8/15/2024	8/15/2024	228	0.043	9.8 Farm Tap Leak
100026263080	93292 A2	C		Greater than 60	11/7/2024	11/7/2024	306	0.043	13.2 M&R Leak
100025452088	90670 B2	C		Greater than 60	3/6/2024	3/6/2024	66	0.043	2.8 M&R Leak
100024280112	91789 B2	C		Greater than 60	8/2/2024				

100024931293	91730 B2	C	Greater than 60	1/22/2024	1/22/2024	22	0.043	0.9 M&R Leak
10002544235	92370 A2	C	Greater than 60	2/21/2024	2/21/2024	52	0.043	2.2 Farm Tap Leak
100025477426	93371 A3	C	Greater than 60	2/6/2024	2/6/2024	37	0.043	1.6 M&R Leak
100025261285	93255 A3	C	Greater than 60	2/13/2024	2/13/2024	44	0.043	1.9 M&R Leak
100024929417	93510 B3	C	Greater than 60	1/8/2024	1/8/2024	8	0.043	0.3 M&R Leak
100020170234	93230 B2	C	Greater than 60	12/17/2024	12/17/2024	342	0.043	14.7 Farm Tap Leak
100025345535	93274 B2	C	Greater than 60	1/18/2024	1/18/2024	18	0.043	0.8 Farm Tap Leak
1000251370295	92506 B2	R	Greater than 60	3/13/2024	3/13/2024	73	0.02	1.5 M&R Leak
1000251408182	93272 B3	C	Greater than 60	5/20/2024	5/20/2024	141	0.043	6.1 Farm Tap Leak
1000251632347	93307 A2	C	Greater than 60	3/7/2024	3/7/2024	67	0.043	2.9 Farm Tap Leak
100021147431	93274 A2	C	Greater than 60	1/23/2024	1/23/2024	23	0.043	1.0 Farm Tap Leak
1000251453134	93307 A2	C	Greater than 60	7/26/2024	7/26/2024	208	0.043	8.9 Farm Tap Leak
1000251533984	91436 A3	C	Greater than 60	1/13/2024	1/13/2024	19	0.043	0.8 M&R Leak
1000261733987	92404 A2	O	Greater than 60	12/9/2024	12/9/2024	344	0.043	14.8 M&R Leak
100024266685	93535 A3	C	Greater than 60	7/25/2024	7/25/2024	207	0.043	8.9 Farm Tap Leak
100025178608	92264 B3	C	Greater than 60	5/8/2024	5/8/2024	129	0.043	5.5 M&R Leak
100025453630	92571 B3	C	Greater than 60	4/29/2024	4/29/2024	120	0.043	5.2 Farm Tap Leak
1000251703930	92284 B3	C	Greater than 60	3/20/2024	3/20/2024	80	0.043	3.4 Farm Tap Leak
100026257286	92343 B3	R	Greater than 60	6/26/2024	6/26/2024	178	0.02	8.1 Farm Tap Leak
100024885485	91730 B2	R	Greater than 60	1/22/2024	1/22/2024	22	0.02	0.4 M&R Leak
100024928699	92585 B3	C	Greater than 60	1/2/2024	1/2/2024	2	0.043	0.1 Farm Tap Leak
100024626020	92410 A2	O	Greater than 60	10/30/2024	10/30/2024	304	0.043	13.1 M&R Leak
100025452617	93313 A2	C	Greater than 60	3/14/2024	3/14/2024	74	0.043	3.2 M&R Leak
100025934029	92284 B3	BV	Greater than 60	8/8/2024	8/8/2024	221	0.014	3.1 M&R Leak
100024266774	92399 B2	C	Greater than 60	8/26/2024	8/26/2024	239	0.043	10.3 Farm Tap Leak
100021200852	90040 A1	R	Greater than 60	10/23/2024	10/23/2024	296	0.02	5.9 Farm Tap Leak
100024283700	92861 B2	BV	Greater than 60	7/1/2024	7/1/2024	183	0.014	2.6 M&R Leak
100024928524	91711 B2	C	Greater than 60	1/9/2024	1/9/2024	9	0.043	0.4 M&R Leak
100024759482	92236 A3	C	Greater than 60	3/27/2024	3/27/2024	87	0.043	3.7 M&R Leak
100024387987	93309 B3	C	Greater than 60	9/10/2024	9/10/2024	254	0.02	5.1 M&R Leak
100025951716	93401 A3	C	Greater than 60	5/17/2024	5/17/2024	138	0.043	5.9 Farm Tap Leak
100025181239	91761 B3	C	Greater than 60	2/26/2024	2/26/2024	57	0.043	2.5 M&R Leak
100020289300	91436 A3	C	Greater than 60	7/2/2024	7/2/2024	184	0.043	7.9 Farm Tap Leak
100025452045	91776 B2	C	Greater than 60	3/12/2024	3/12/2024	72	0.043	3.1 M&R Leak
100024299733	93257 A2	C	Greater than 60	7/5/2024	7/5/2024	187	0.043	8.0 Farm Tap Leak
100026125757	93564 B2	C	Greater than 60	7/9/2024	7/9/2024	151	0.043	8.2 M&R Leak
100025452619	93307 B3	C	Greater than 60	3/4/2024	3/4/2024	64	0.043	2.8 M&R Leak
100026523433	93221 A2	C	Greater than 60	8/27/2024	8/27/2024	240	0.043	10.3 Farm Tap Leak
100025635554	91737 B2	R	Greater than 60	3/17/2024	3/17/2024	67	0.02	1.3 M&R Leak
100025099171	93257 A2	C	Greater than 60	5/24/2024	5/24/2024	145	0.043	6.2 Farm Tap Leak
1000251375632	92407 A3	O	Greater than 60	3/9/2024	3/9/2024	69	0.043	3.0 M&R Leak
1000254607113	92563 B3	BV	Greater than 60	4/24/2024	4/24/2024	115	0.014	1.6 M&R Leak
100024770172	91247 A2	C	Greater than 60	12/13/2024	12/13/2024	138	0.043	14.5 Farm Tap Leak
1000232137188	90280 A2	C	Greater than 60	1/16/2024	1/16/2024	16	0.043	0.7 Farm Tap Leak
100024931248	93273 A3	C	Greater than 60	1/22/2024	1/22/2024	22	0.043	0.9 Farm Tap Leak
100025454554	92570 B3	C	Greater than 60	7/10/2024	7/10/2024	192	0.043	8.3 Farm Tap Leak
1000238181618	92833 B2	C	Greater than 60	9/13/2024	9/13/2024	257	0.043	11.1 Farm Tap Leak
100024788165	90030 A1	C	Greater than 60	11/12/2024	11/12/2024	137	0.043	13.6 Farm Tap Leak
100024885627	92335 B2	R	Greater than 60	1/24/2024	1/24/2024	24	0.02	0.5 M&R Leak
100025778277	90242 B2	C	Greater than 60	7/12/2024	7/12/2024	194	0.043	8.3 Farm Tap Leak
100025936608	92277 A3	C	Greater than 60	6/4/2024	6/4/2024	156	0.043	6.7 M&R Leak
100025652620	93230 B2	C	Greater than 60	10/16/2024	10/16/2024	290	0.043	12.5 Farm Tap Leak
100024424525	93021 B2	C	Greater than 60	9/13/2024	9/13/2024	247	0.043	10.6 M&R Leak
100025452628	93561 B3	C	Greater than 60	3/15/2024	3/15/2024	75	0.043	3.2 M&R Leak
100026450992	93550 B3	C	Greater than 60	10/10/2024	10/10/2024	284	0.043	12.2 M&R Leak
100025636306	93230 A2	C	Greater than 60	6/27/2024	6/27/2024	179	0.043	7.7 Farm Tap Leak
100026170317	92582 A3	C	Greater than 60	12/4/2024	12/4/2024	339	0.043	14.6 Farm Tap Leak
100025935618	93114 B3	BV	Greater than 60	6/21/2024	6/21/2024	173	0.014	2.4 M&R Leak
100025277748	90274 A2	O	Greater than 60	1/4/2024	1/4/2024	4	0.043	0.2 M&R Leak
100026181596	92392 A2	C	Greater than 60	9/5/2024	9/5/2024	249	0.043	10.7 Farm Tap Leak
100026230178	93117 B2	C	Greater than 60	9/17/2024	9/17/2024	261	0.043	11.2 M&R Leak
100024770142	91730 B2	C	Greater than 60	11/8/2024	11/8/2024	113	0.043	13.5 Farm Tap Leak
100026362026	93308 A3	C	Greater than 60	7/26/2024	7/26/2024	208	0.043	8.9 Farm Tap Leak
100025608210	92675 B3	C	Greater than 60	4/9/2024	4/9/2024	100	0.043	4.3 M&R Leak
100026723940	90201 A1	C	Greater than 60	10/24/2024	10/24/2024	298	0.043	12.8 Farm Tap Leak
100026552629	93230 B2	C	Greater than 60	10/25/2024	10/25/2024	299	0.043	12.9 Farm Tap Leak
100025777315	91505 B2	BV	Greater than 60	5/30/2024	5/30/2024	151	0.014	2.1 M&R Leak
100025260365	91105 B2	C	Greater than 60	2/14/2024	2/14/2024	45	0.043	1.9 M&R Leak
100025605418	92407 B3	BV	Greater than 60	4/8/2024	4/8/2024	99	0.014	1.4 M&R Leak
100025454122	91864 B2	C	Greater than 60	4/17/2024	4/17/2024	108	0.043	4.6 Farm Tap Leak
100025595856	92551 B3	R	Greater than 60	4/4/2024	4/4/2024	95	0.02	1.9 M&R Leak
100025126074	92376 B2	C	Greater than 60	2/17/2024	2/17/2024	48	0.043	2.1 M&R Leak
100025126327	90248 A2	C	Greater than 60	1/16/2024	1/16/2024	16	0.043	0.7 Farm Tap Leak
100024746000	93263 A3	C	Greater than 60	2/14/2024	2/14/2024	45	0.043	1.9 Farm Tap Leak
100026552638	93221 A2	C	Greater than 60	10/21/2024	10/21/2024	295	0.043	12.7 Farm Tap Leak
100026579144	92561 A3	C	Greater than 60	8/15/2024	8/15/2024	228	0.043	9.8 Farm Tap Leak
100025936453	93444 B2	C	Greater than 60	6/6/2024	6/6/2024	158	0.043	6.8 M&R Leak
100026125806	93309 B3	C	Greater than 60	7/15/2024	7/15/2024	197	0.043	8.5 M&R Leak
100026647235	93268 B3	C	Greater than 60	11/12/2024	11/12/2024	317	0.043	13.6 M&R Leak
100025947232	92585 A3	C	Greater than 60	12/23/2024	12/23/2024	358	0.043	15.4 Farm Tap Leak
100025607746	93245 B3	C	Greater than 60	4/11/2024	4/11/2024	102	0.043	4.4 M&R Leak
100024266620	91702 B2	C	Greater than 60	8/2/2024	8/2/2024	215	0.043	9.2 Farm Tap Leak
100025995785	93307 A2	C	Greater than 60	5/10/2024	5/10/2024	131	0.043	5.6 Farm Tap Leak
100026125585	91604 B2	C	Greater than 60	7/18/2024	7/18/2024	200	0.043	8.6 M&R Leak
100025933300	91791 B2	BV	Greater than 60	6/4/2024	6/4/2024	156	0.014	2.2 M&R Leak
100026170263	93833 B2	C	Greater than 60	11/15/2024	11/15/2024	320	0.043	13.8 Farm Tap Leak
100026789229	93609 B2	BV	Greater than 60	11/8/2024	11/8/2024	313	0.014	4.4 Farm Tap Leak
100024832385	92506 B3	C	Greater than 60	11/20/2024	11/20/2024	325	0.02	6.5 M&R Leak
100024048552	91427 A3	C	Greater than 60	9/16/2024	9/16/2024	260	0.043	11.2 Farm Tap Leak
100026811315	92657 B3	BV	Greater than 60	11/15/2024	11/15/2024	320	0.014	4.5 M&R Leak
100026125686	92277 B3	C	Greater than 60	7/11/2024	7/11/2024	193	0.043	8.3 M&R Leak
10001437873	93243 B2	C	Greater than 60	7/22/2024	7/22/2024	204	0.043	8.8 Farm Tap Leak
100025948167	93256 B3	C	Greater than 60	6/20/2024	6/20/2024	172	0.02	3.4 Farm Tap Leak
100025481564	92372 A2	C	Greater than 60	2/7/2024	2/7/2024	38	0.043	1.6 Farm Tap Leak
100024928948	93257 B2	C	Greater than 60	1/17/2024	1/17/2024	17	0.043	0.7 M&R Leak
100025452044	91776 B3	C	Greater than 60	3/27/2024	3/27/2024	87	0.043	3.7 M&R Leak
100024929454	93033 B2	C	Greater than 60	2/21/2024	2/21/2024	52	0.043	2.2 M&R Leak
100025565516	93245 A2	O	Greater than 60	4/5/2024	4/5/2024	96	0.043	4.1 M&R Leak
100025936492	93117 B2	C	Greater than 60	6/7/2024	6/7/2024	159	0.043	6.8 M&R Leak
100025893612	92507 A2	O	Greater than 60	6/4/2024	6/4/2024	156	0.043	6.7 M&R Leak
100025178094	92270 B3	R	Greater than 60	5/15/2024	5/15/2024	136	0.02	2.7 M&R Leak
100025941754	93423 B3	C	Greater than 60	5/1/2024	5/1/2024	122	0.043	5.2 M&R Leak
100025341783	93455 A3	C	Greater than 60	1/17/2024	1/17/2024	17	0.02	0.3 Farm Tap Leak
1000261770443	90201 A1	C	Greater than 60	12/16/2024	12/16/2024	351	0.043	15.1 Farm Tap Leak
100026170154	92563 A3	C	Greater than 60	11/19/2024	11/19/2024	324	0.043	13.9 Farm Tap Leak
100025260366	91105 B2	C	Greater than 60	2/23/2024	2/23/2024	54	0.043	2.2 M&R Leak
100025261381	93292 A2	C	Greater than 60	2/20/2024	2/20/2024	51	0.043	2.2 Farm Tap Leak
100025260670	90012 B2	C	Greater than 60	2/27/2024	2/27/2024	58	0.043	2.5 M&R Leak
100025452439	92509 B2	C	Greater than 60	3/4/2024	3/4/2024	64	0.043	2.9 M&R Leak
100024770236	93274 A3	C	Greater than 60	11/12/2024	11/12/2024	317	0.043	13.6 Farm Tap Leak
100026279613	90291 B1	C	Less than or equal to	8/16/2024	8/16/2024	229	0.043	9.8 M&R Leak
100026922548	91381 B2	C	Greater than 60	12/6/2024	12/6/2024	341	0.043	14.7 M&R Leak
100026145159	91721 B2	C	Greater than 60	5/1/2024	5/1/2024	152	0.014	2.1 M&R Leak
100026308917	92320 B2	BV	Greater than 60	8/14/2024	8/14/2024	227	0.043	9.8 Farm Tap Leak
100026557073	91706 A2	C	Greater than 60	10/15/2024	10/15/2024	289	0.043	12.4 Farm Tap Leak
100026767757	93066 B3	BV	Greater than 60	11/25/2024	11/25/2024			

10002603867	92243 B3	C		Greater than 60	7/8/2024	7/8/2024	190	0.043	8.2 Farm Tap Leak
100025719533	90230 B2	R	Fisher	Greater than 60	5/7/2024	5/7/2024	128	0.02	2.6 M&R Leak
100026089887	93265 A2	C		Greater than 60	12/2/2024	12/2/2024	337	0.043	14.5 Farm Tap Leak
100026266466	92284 B3	C		Greater than 60	7/12/2024	7/12/2024	194	0.043	8.3 Farm Tap Leak
100026266630	93662 A2	C		Greater than 60	8/26/2024	8/26/2024	239	0.043	10.3 Farm Tap Leak
100025778754	91505 B2	C		Greater than 60	5/30/2024	5/30/2024	151	0.043	6.5 M&R Leak
100026266830	93422 B3	C		Greater than 60	8/26/2024	8/26/2024	239	0.043	10.3 Farm Tap Leak
100026770242	93662 A3	C		Greater than 60	11/18/2024	11/18/2024	323	0.043	13.9 Farm Tap Leak
100025805766	91505 B3	C		Greater than 60	4/8/2024	4/8/2024	99	0.043	4.1 M&R Leak
100026048053	91706 B2	C		Greater than 60	12/13/2024	12/13/2024	348	0.043	15.0 Farm Tap Leak
100024892948	93274 B3	C		Greater than 60	1/26/2024	1/26/2024	26	0.043	1.1 Farm Tap Leak
1000251260348	91108 B1	C		Less than or equal to	2/13/2024	2/13/2024	44	0.043	1.9 M&R Leak
1000261231253	90269 B2	C	Walworth	Greater than 60	9/11/2024	9/11/2024	255	0.04	3.6 M&R Leak
1000261770182	93535 A3	C		Greater than 60	12/18/2024	12/18/2024	353	0.043	15.2 Farm Tap Leak
100026740405	93618 B2	C		Greater than 60	10/28/2024	10/28/2024	302	0.043	13.0 Farm Tap Leak
100026523676	93422 B3	C		Greater than 60	8/29/2024	8/29/2024	242	0.043	10.4 M&R Leak
100026381631	90265 A2	C		Greater than 60	9/11/2024	9/11/2024	255	0.043	11.0 Farm Tap Leak
100026031094	93065 B2	R	Fisher	Greater than 60	8/16/2024	8/16/2024	229	0.02	4.6 Farm Tap Leak
100025654828	92277 A2	C		Greater than 60	3/11/2024	3/11/2024	71	0.043	3.1 Farm Tap Leak
1000260770615	92260 B2	BV	Rockwell (Std.)	Greater than 60	11/18/2024	11/18/2024	323	0.014	4.5 Farm Tap Leak
100025778755	91505 B2	C		Greater than 60	5/30/2024	5/30/2024	151	0.043	6.5 M&R Leak
100026683829	92324 B2	C		Greater than 60	10/14/2024	10/14/2024	288	0.043	12.4 M&R Leak
1000251260778	92210 B2	C		Greater than 60	2/6/2024	2/6/2024	37	0.043	1.6 M&R Leak
1000251260944	90210 A2	C		Greater than 60	5/31/2024	5/31/2024	152	0.043	6.5 Farm Tap Leak
100026168804	92284 B3	C		Greater than 60	7/23/2024	7/23/2024	205	0.043	8.8 Farm Tap Leak
100026289107	93436 A3	C		Greater than 60	7/5/2024	7/5/2024	187	0.043	8.0 M&R Leak
100025968000	92651 A3	C		Greater than 60	5/8/2024	5/8/2024	129	0.043	5.5 M&R Leak
1000261831562	92592 A3	C		Greater than 60	10/3/2024	10/3/2024	277	0.043	11.9 Farm Tap Leak
100025335967	92277 A3	C		Greater than 60	1/19/2024	1/19/2024	19	0.043	0.8 M&R Leak
100025329891	92380 B2	BV		Greater than 60	2/13/2024	2/13/2024	44	0.014	0.6 Farm Tap Leak
100026166402	93654 A2	C		Greater than 60	6/10/2024	6/10/2024	162	0.043	7.0 Farm Tap Leak
100025157931	93446 B3	C		Greater than 60	6/17/2024	6/17/2024	169	0.043	7.3 M&R Leak
100026664670	92408 A2	C		Greater than 60	10/4/2024	10/4/2024	278	0.043	12.0 Farm Tap Leak
100026361108	92380 B2	C		Greater than 60	7/31/2024	7/31/2024	213	0.043	9.2 Farm Tap Leak
100026552623	93221 A2	C		Greater than 60	10/31/2024	10/31/2024	305	0.043	13.1 Farm Tap Leak
100021147421	92374 A2	C		Greater than 60	1/11/2024	1/11/2024	11	0.043	0.5 Farm Tap Leak
100025935200	92408 B2	BV	Mueller	Greater than 60	6/10/2024	6/10/2024	162	0.014	2.3 Farm Tap Leak
1000251260909	92392 B2	C		Greater than 60	2/12/2024	2/12/2024	43	0.043	1.8 M&R Leak
100025910493	90265 A2	C		Greater than 60	4/26/2024	4/26/2024	117	0.043	5.0 Farm Tap Leak
1000251480696	93436 A3	C		Greater than 60	1/25/2024	1/25/2024	25	0.043	1.1 M&R Leak
100025547722	93436 B3	C		Greater than 60	3/5/2024	3/5/2024	65	0.043	2.8 Farm Tap Leak
100025979449	92651 A3	BV	Rockwell (Std.)	Greater than 60	5/7/2024	5/7/2024	128	0.014	1.8 M&R Leak
10002628879	93566 B3	C		Greater than 60	1/8/2024	1/8/2024	8	0.043	0.1 M&R Leak
1000267876759	92606 B3	BV	Kentest	Greater than 60	11/25/2024	11/25/2024	330	0.014	4.6 M&R Leak
100026262430	90245 A2	O		Greater than 60	11/1/2024	11/1/2024	306	0.043	13.2 M&R Leak
100026277620	92840 B2	BV	Kentest	Greater than 60	8/1/2024	8/1/2024	214	0.043	3.0 M&R Leak
100026547842	91367 B2	C		Greater than 60	10/10/2024	10/10/2024	284	0.043	12.2 M&R Leak
100026799798	93280 B2	C		Greater than 60	10/11/2024	10/11/2024	285	0.043	12.3 M&R Leak
100026552628	92320 B2	C		Greater than 60	10/17/2024	10/17/2024	291	0.043	12.5 Farm Tap Leak
100025451088	93654 A2	BV		Greater than 60	4/17/2024	4/17/2024	108	0.014	1.5 Farm Tap Leak
100026552672	92405 A2	C		Greater than 60	10/8/2024	10/8/2024	282	0.043	12.1 Farm Tap Leak
100025778932	93021 A2	C		Greater than 60	5/23/2024	5/23/2024	144	0.043	6.2 M&R Leak
100026595940	92349 A3	C		Greater than 60	10/4/2024	10/4/2024	278	0.043	12.0 M&R Leak
100026548778	92327 A2	C		Greater than 60	10/3/2024	10/3/2024	277	0.043	11.9 M&R Leak
100026460367	93401 B3	C		Greater than 60	9/20/2024	9/20/2024	264	0.043	11.4 M&R Leak
100025776075	93618 B2	BV	Rockwell (Std.)	Greater than 60	5/14/2024	5/14/2024	135	0.014	1.9 M&R Leak
100025454275	93063 B2	C		Greater than 60	4/3/2024	4/3/2024	94	0.043	4.0 Farm Tap Leak
100026548658	92211 B3	C		Greater than 60	10/16/2024	10/16/2024	290	0.043	12.5 M&R Leak
100026647158	92507 B2	C		Greater than 60	10/29/2024	10/29/2024	303	0.043	13.0 M&R Leak
1000261261080	91326 B3	C		Greater than 60	2/26/2024	2/26/2024	57	0.043	2.5 M&R Leak
1000264925484	92201 B2	BV	Rockwell (Std.)	Greater than 60	1/10/2024	1/10/2024	10	0.014	0.1 M&R Leak
100026719191	90002 B1	C		Less than or equal to	10/28/2024	10/28/2024	302	0.043	13.0 M&R Leak
100026163768	90265 A2	C		Greater than 60	6/10/2024	6/10/2024	162	0.043	7.0 Farm Tap Leak
100026588197	92404 B2	BV	Mueller	Greater than 60	10/17/2024	10/17/2024	291	0.014	4.1 Farm Tap Leak
100025565117	91764 A2	O		Greater than 60	4/6/2024	4/6/2024	97	0.043	4.2 M&R Leak
100026554782	90660 A3	C		Greater than 60	9/19/2024	9/19/2024	247	0.043	10.6 M&R Leak
100026422345	90265 B2	BV	Mueller	Greater than 60	9/11/2024	9/11/2024	255	0.014	3.6 M&R Leak
100026770254	93662 A3	C		Greater than 60	12/4/2024	12/4/2024	339	0.043	14.6 Farm Tap Leak
100026705767	92319 A3	C		Greater than 60	9/9/2024	9/9/2024	253	0.043	10.8 Farm Tap Leak
100025936760	90745 A2	C		Greater than 60	7/13/2024	7/13/2024	195	0.043	8.4 Farm Tap Leak
100025452811	91550 B3	C		Greater than 60	3/12/2024	3/12/2024	72	0.043	3.1 M&R Leak
1000254607583	92592 B3	C		Greater than 60	4/5/2024	4/5/2024	96	0.043	4.1 M&R Leak
100026671122	91748 A2	C		Greater than 60	10/8/2024	10/8/2024	282	0.014	3.9 Farm Tap Leak
100026280026	91607 B3	C		Greater than 60	8/17/2024	8/17/2024	230	0.043	9.9 M&R Leak
100025778727	92630 B3	C		Greater than 60	5/23/2024	5/23/2024	144	0.043	6.2 M&R Leak
100026176419	92509 A2	C		Greater than 60	10/30/2024	10/30/2024	304	0.043	13.1 M&R Leak
100025607756	92319 B3	C		Greater than 60	4/22/2024	4/22/2024	113	0.043	4.9 M&R Leak
100024424429	91020 A2	C		Greater than 60	9/25/2024	9/25/2024	269	0.043	11.6 M&R Leak
100024929384	91367 B2	C		Greater than 60	1/30/2024	1/30/2024	30	0.043	1.3 M&R Leak
100026266635	93063 B2	C		Greater than 60	8/9/2024	8/9/2024	222	0.043	9.5 Farm Tap Leak
100024929488	91360 A2	C		Greater than 60	1/12/2024	1/12/2024	12	0.043	0.5 M&R Leak
100024928882	93656 B3	C		Greater than 60	1/8/2024	1/8/2024	8	0.043	0.3 M&R Leak
100025060678	93654 A2	C		Greater than 60	1/4/2024	1/4/2024	4	0.043	0.2 Farm Tap Leak
100026185197	93212 A3	C		Greater than 60	11/18/2024	11/18/2024	323	0.043	13.9 Farm Tap Leak
100026927252	93242 B1	C		Greater than 60	12/9/2024	12/9/2024	344	0.043	14.8 Farm Tap Leak
100025388820	93373 A2	C		Greater than 60	1/24/2024	1/24/2024	24	0.043	1.0 M&R Leak
100024929168	92320 A3	C		Greater than 60	1/8/2024	1/8/2024	8	0.043	0.3 Farm Tap Leak
100026279632	90505 A1	C		Less than or equal to	8/20/2024	8/20/2024	233	0.043	10.0 M&R Leak
100026229072	92627 A2	C		Greater than 60	6/24/2024	6/24/2024	176	0.043	7.6 M&R Leak
100026279810	92320 B2	C		Greater than 60	8/14/2024	8/14/2024	227	0.043	9.8 M&R Leak
100025936455	91402 B2	C		Greater than 60	6/19/2024	6/19/2024	171	0.043	7.4 M&R Leak
100026279598	92840 B2	C		Greater than 60	8/1/2024	8/1/2024	214	0.043	9.2 M&R Leak
100025453125	92590 B3	C		Greater than 60	3/13/2024	3/13/2024	79	0.043	3.4 Farm Tap Leak
1000261735375	92806 A2	BV	Rockwell (Std.)	Greater than 60	10/25/2024	10/25/2024	299	0.014	4.2 M&R Leak
100026797525	91403 A2	C		Greater than 60	11/13/2024	11/13/2024	318	0.043	13.7 Farm Tap Leak
100026263480	92320 B2	C		Greater than 60	10/8/2024	10/8/2024	282	0.043	12.1 Farm Tap Leak
100025778734	92363 B2	C		Greater than 60	6/11/2024	6/11/2024	163	0.043	7.0 M&R Leak
100025608231	93656 A3	C		Greater than 60	4/25/2024	4/25/2024	116	0.043	5.0 Farm Tap Leak
10002608423	92256 A2	O		Greater than 60	10/21/2024	10/21/2024	295	0.043	12.2 M&R Leak
1000264886317	92705 B2	R	Fisher	Greater than 60	1/22/2024	1/22/2024	22	0.02	0.4 M&R Leak
100025936771	93314 B3	C		Greater than 60	6/21/2024	6/21/2024	173	0.043	7.4 M&R Leak
100024301514	93314 B3	R	American/Reliance/Sinor	Greater than 60	7/5/2024	7/5/2024	187	0.02	3.7 Farm Tap Leak
100021147660	91380 A3	C		Greater than 60	3/29/2024	3/29/2024	89	0.043	3.8 Farm Tap Leak
100024928975	93308 A3	C		Greater than 60	1/3/2024	1/3/2024	3	0.043	0.1 M&R Leak
100025936013	90016 B1	C		Less than or equal to	6/17/2024	6/17/2024	169	0.043	7.3 M&R Leak
100025719760	90230 B2	C	Fisher	Greater than 60	5/7/2024	5/7/2024	128	0.02	2.6 M&R Leak
100026381589	92356 A3	C		Greater than 60	9/17/2024	9/17/2024	261	0.043	11.2 Farm Tap Leak
100026073068	92840 B2	C		Greater than 60	10/25/2024	10/25/2024	299	0.043	12.9 M&R Leak
10002650770	92350 B3	R	Mooney	Greater than 60	10/9/2024	10/9/2024	283	0.02	5.7 M&R Leak
100026045555	93446 B3	R	Mooney	Greater than 60	7/24/2024	7/24/2024	206	0.02	4.1 M&R Leak
100026381549	92277 B3	C		Greater than					

100025261082	91306 B2	C	Greater than 60	2/9/2024	2/9/2024	40	0.043	1.7 M&R Leak
100026424210	90265 B2	C	Greater than 60	9/10/2024	9/10/2024	254	0.043	10.9 M&R Leak
100025533471	92879 A3	C	Greater than 60	2/15/2024	2/15/2024	46	0.043	2.0 M&R Leak
100026736511	92840 B2	R	Greater than 60	10/25/2024	10/25/2024	299	0.02	6.0 M&R Leak
100024929204	93277 A3	C	Greater than 60	1/4/2024	1/4/2024	4	0.043	0.2 Farm Tap Leak
100025936457	91402 B2	C	Greater than 60	6/24/2024	6/24/2024	176	0.043	7.5 M&R Leak
10002618959	93263 B3	R	Greater than 60	11/12/2024	11/12/2024	317	0.02	6.3 M&R Leak
100025936705	93256 B3	C	Greater than 60	6/19/2024	6/19/2024	171	0.043	7.4 Farm Tap Leak
100026424434	91354 B2	C	Greater than 60	9/17/2024	9/17/2024	271	0.043	11.1 M&R Leak
100024886400	92705 B3	R	Greater than 60	1/19/2024	1/19/2024	19	0.02	0.4 M&R Leak
100025608030	93215 B3	C	Greater than 60	4/15/2024	4/15/2024	106	0.043	4.6 M&R Leak
100025779170	93274 B3	C	Greater than 60	5/22/2024	5/22/2024	143	0.043	6.1 Farm Tap Leak
100026471119	91302 B2	C	Greater than 60	11/15/2024	11/15/2024	320	0.043	13.1 M&R Leak
100025680192	93267 A2	C	Greater than 60	3/15/2024	3/15/2024	75	0.043	3.2 Farm Tap Leak
100026976033	90039 B3	C	Greater than 60	12/19/2024	12/19/2024	354	0.043	15.2 M&R Leak
100026702094	91750 B2	C	Greater than 60	12/17/2024	12/17/2024	352	0.043	15.1 Farm Tap Leak
100026250155	90221 A2	O	Greater than 60	7/20/2024	7/20/2024	202	0.043	8.7 M&R Leak
100026274358	92399 B2	BV	Greater than 60	8/26/2024	8/26/2024	239	0.014	3.3 Farm Tap Leak
100025778926	93550 B1	C	Greater than 60	5/12/2024	5/12/2024	123	0.043	5.3 M&R Leak
100025838654	90400 A1	C	Greater than 60	5/23/2024	5/23/2024	144	0.043	6.2 Farm Tap Leak
100026916116	92506 A2	C	Greater than 60	12/9/2024	12/9/2024	344	0.043	14.8 Farm Tap Leak
100025477427	93271 A2	O	Greater than 60	2/6/2024	2/6/2024	37	0.043	1.6 M&R Leak
100024643093	93260 B3	C	Greater than 60	8/14/2024	8/14/2024	227	0.043	9.8 M&R Leak
100026256511	93243 B3	C	Greater than 60	6/26/2024	6/26/2024	178	0.043	7.7 M&R Leak
100025592510	92618 B2	C	Greater than 60	2/29/2024	2/29/2024	60	0.043	2.6 Farm Tap Leak
100025590315	93427 B2	C	Greater than 60	9/16/2024	9/16/2024	260	0.043	11.2 Farm Tap Leak
100026671401	93455 B3	C	Greater than 60	10/8/2024	10/8/2024	282	0.043	12.1 M&R Leak
100025261371	93243 B3	C	Greater than 60	2/6/2024	2/6/2024	37	0.043	1.6 Farm Tap Leak
100026711515	92256 B3	C	Greater than 60	10/9/2024	10/9/2024	283	0.043	12.2 Farm Tap Leak
100025306199	93407 B3	BV	Greater than 60	7/8/2024	7/8/2024	190	0.014	2.7 M&R Leak
100026912862	93272 A2	C	Greater than 60	12/3/2024	12/3/2024	338	0.043	14.5 Farm Tap Leak
100025362021	93250 A3	C	Greater than 60	7/14/2024	7/14/2024	206	0.043	8.9 Farm Tap Leak
100024925751	93247 A2	BV	Greater than 60	1/23/2024	1/23/2024	23	0.014	0.3 M&R Leak
100026266647	92284 B3	C	Greater than 60	7/11/2024	7/11/2024	193	0.043	8.3 Farm Tap Leak
100026080687	93257 A2	C	Greater than 60	11/14/2024	11/14/2024	319	0.043	13.7 Farm Tap Leak
100026202083	93245 B2	C	Greater than 60	11/19/2024	11/19/2024	324	0.043	13.9 Farm Tap Leak
100024933864	93225 A2	C	Greater than 60	7/22/2024	7/22/2024	204	0.043	8.8 Farm Tap Leak
100025607470	90035 B2	C	Greater than 60	4/5/2024	4/5/2024	96	0.043	4.1 M&R Leak
100026279688	92223 A2	C	Greater than 60	8/5/2024	8/5/2024	218	0.043	9.4 M&R Leak
100027017088	93101 A3	C	Greater than 60	12/21/2024	12/21/2024	356	0.043	15.3 M&R Leak
10002499767	90230 B3	BV	Greater than 60	8/23/2024	8/23/2024	236	0.014	3.3 M&R Leak
100024323548	93268 A2	R	Greater than 60	8/12/2024	8/12/2024	225	0.02	4.5 M&R Leak
100025452456	92240 A3	C	Greater than 60	3/4/2024	3/4/2024	64	0.043	2.8 M&R Leak
100024948472	92234 A3	C	Greater than 60	8/28/2024	8/28/2024	241	0.043	10.4 Farm Tap Leak
100026612541	90265 B2	BV	Greater than 60	9/23/2024	9/23/2024	267	0.014	3.7 M&R Leak
100025607188	93551 B3	C	Greater than 60	4/17/2024	4/17/2024	108	0.043	4.6 M&R Leak
100026939317	90805 A3	C	Greater than 60	12/11/2024	12/11/2024	346	0.043	14.9 M&R Leak
100025635356	92337 A2	O	Greater than 60	4/4/2024	4/4/2024	95	0.043	4.1 M&R Leak
100025299382	93609 A2	C	Greater than 60	5/13/2024	5/13/2024	134	0.043	5.8 Farm Tap Leak
10002579946	93609 B2	C	Greater than 60	11/8/2024	11/8/2024	313	0.043	13.5 Farm Tap Leak
100024279832	93268 B3	C	Greater than 60	8/20/2024	8/20/2024	233	0.043	10.0 M&R Leak
100025266801	93631 B3	C	Greater than 60	8/29/2024	8/29/2024	242	0.043	10.4 Farm Tap Leak
100025440128	90744 B3	R	Greater than 60	1/11/2024	1/11/2024	31	0.02	0.6 M&R Leak
100025936701	93256 B3	C	Greater than 60	6/18/2024	6/18/2024	170	0.043	7.3 Farm Tap Leak
100025552623	93292 A2	C	Greater than 60	11/7/2024	11/7/2024	312	0.043	13.4 Farm Tap Leak
100026702124	93204 A1	C	Greater than 60	11/14/2024	11/14/2024	319	0.043	13.7 Farm Tap Leak
100026471107	92582 A3	C	Greater than 60	11/19/2024	11/19/2024	324	0.043	13.9 M&R Leak
100025637148	93446 B3	C	Greater than 60	3/21/2024	3/21/2024	81	0.043	3.5 Farm Tap Leak
100027017561	93307 A2	C	Greater than 60	12/23/2024	12/23/2024	358	0.043	15.4 Farm Tap Leak
100024424410	93203 B3	C	Greater than 60	9/4/2024	9/4/2024	248	0.043	10.7 M&R Leak
100026071423	92223 A2	O	Greater than 60	7/9/2024	7/9/2024	191	0.043	8.2 M&R Leak
1000261314071	93618 A3	C	Greater than 60	7/10/2024	7/10/2024	192	0.043	8.3 Farm Tap Leak
100025259193	93314 B3	C	Greater than 60	2/22/2024	2/22/2024	53	0.014	0.7 M&R Leak
100025260899	93277 A3	C	Greater than 60	2/23/2024	2/23/2024	54	0.043	2.3 M&R Leak
100026603673	90041 B3	C	Greater than 60	9/26/2024	9/26/2024	270	0.043	11.6 M&R Leak
100025487515	93420 B3	C	Greater than 60	10/9/2024	10/9/2024	261	0.043	12.1 M&R Leak
100025936704	93256 B3	C	Greater than 60	6/19/2024	6/19/2024	171	0.043	7.4 Farm Tap Leak
100025261152	93314 B3	C	Greater than 60	2/7/2024	2/7/2024	38	0.043	1.6 M&R Leak
100026266576	93230 A2	C	Greater than 60	7/23/2024	7/23/2024	205	0.043	8.8 Farm Tap Leak
100024804381	92399 B2	C	Greater than 60	11/15/2024	11/15/2024	320	0.043	13.8 M&R Leak
100025290769	92277 A3	C	Greater than 60	1/8/2024	1/8/2024	8	0.043	0.3 M&R Leak
100026234169	92527 A2	C	Greater than 60	12/17/2024	12/17/2024	352	0.043	15.1 Farm Tap Leak
100026771000	92404 A2	B	Greater than 60	6/22/2024	6/22/2024	174	0.02	3.5 M&R Leak
100025907483	93063 B2	C	Greater than 60	12/13/2024	12/13/2024	348	0.014	4.9 Farm Tap Leak
100024928589	92201 B2	C	Greater than 60	4/26/2024	4/26/2024	117	0.043	5.0 Farm Tap Leak
100026284772	90670 B2	C	Greater than 60	1/10/2024	1/10/2024	10	0.043	0.4 M&R Leak
100026547087	92404 B2	BV	Greater than 60	7/22/2024	7/22/2024	204	0.043	8.8 Farm Tap Leak
100024886270	92705 B3	C	Greater than 60	9/26/2024	9/26/2024	270	0.014	3.8 M&R Leak
100024266594	91702 A3	C	Greater than 60	1/19/2024	1/19/2024	19	0.02	0.4 M&R Leak
100025453079	93257 B2	C	Greater than 60	8/22/2024	8/22/2024	215	0.043	9.2 Farm Tap Leak
100025260926	93312 B3	C	Greater than 60	4/15/2024	4/15/2024	106	0.043	4.6 Farm Tap Leak
100025781517	91352 B2	C	Greater than 60	2/15/2024	2/15/2024	46	0.043	2.0 M&R Leak
100025526157	92883 B3	C	Greater than 60	5/29/2024	5/29/2024	150	0.043	6.5 M&R Leak
100026916008	93534 B3	C	Greater than 60	2/23/2024	2/23/2024	54	0.043	2.3 M&R Leak
100025275966	93449 B2	C	Greater than 60	12/4/2024	12/4/2024	339	0.043	14.6 M&R Leak
100026548813	91355 A2	C	Greater than 60	1/4/2024	1/4/2024	4	0.043	0.2 M&R Leak
100024041467	92372 A2	R	Greater than 60	10/2/2024	10/2/2024	276	0.043	11.9 M&R Leak
100025648999	93257 A2	C	Greater than 60	7/26/2024	7/26/2024	208	0.02	4.2 Farm Tap Leak
100026189442	93021 A2	C	Greater than 60	3/11/2024	3/11/2024	71	0.043	3.1 Farm Tap Leak
100025887872	92278 B1	R	Less than or equal to	11/19/2024	11/19/2024	324	0.043	13.9 Farm Tap Leak
100025261378	93256 A3	C	Greater than 60	6/5/2024	6/5/2024	157	0.02	3.1 M&R Leak
100025268611	93256 B3	C	Greater than 60	2/22/2024	2/22/2024	33	0.043	1.4 Farm Tap Leak
100024829182	90400 B3	C	Greater than 60	1/22/2024	1/22/2024	2	0.043	0.1 Farm Tap Leak
100026578808	93401 B3	R	American/Reliance/Since	2/15/2024	2/15/2024	46	0.043	2.0 M&R Leak
100025935999	93661 A2	C	Greater than 60	9/11/2024	9/11/2024	255	0.02	5.1 M&R Leak
100025260301	90723 B2	C	Greater than 60	6/7/2024	6/7/2024	159	0.043	6.8 M&R Leak
100026296739	92411 A2	C	Greater than 60	2/14/2024	2/14/2024	45	0.043	1.9 Farm Tap Leak
100026523583	93215 B3	C	Greater than 60	7/10/2024	7/10/2024	192	0.043	8.3 Farm Tap Leak
100025608276	93001 A2	C	Greater than 60	8/29/2024	8/29/2024	242	0.043	10.4 M&R Leak
100026552536	93250 B3	C	Greater than 60	4/29/2024	4/29/2024	120	0.043	5.2 Farm Tap Leak
100026123406	90501 B2	C	Greater than 60	11/7/2024	11/7/2024	312	0.043	13.4 Farm Tap Leak
10002648028	92404 B2	C	Greater than 60	8/4/2024	8/4/2024	227	0.02	4.5 M&R Leak
100025452458	92241 B3	C	Greater than 60	9/26/2024	9/26/2024	270	0.043	11.6 M&R Leak
100026701513	92234 B3	C	Greater than 60	3/8/2024	3/8/2024	68	0.043	2.9 M&R Leak
100025451429	93373 B2	C	Greater than 60	11/21/2024	11/21/2024	326	0.043	14.0 Farm Tap Leak
100024948993	91746 B2	C	Greater than 60	3/5/2024	3/5/2024	65	0.043	2.8 M&R Leak
100025520885	91604 A3	C	Greater than 60	8/22/2024	8/22/2024	235	0.043	10.1 M&R Leak
100023585833	92240 B3	R	Greater than 60	2/15/2024	2/15/2024	46	0.043	2.0 Farm Tap Leak
100025556446	92377 A3	O	Greater than 60	9/12/2024	9/12/2024	256	0.02	5.1 M&R Leak
100026916082	93609 A2	C	Greater than 60	4/4/2024	4/4/2024	95	0.043	4.1 M&R Leak
100026280166	92548 B2	C	Greater than 60	12/4/2024	12/4/2024	339	0.043	14.6 Farm Tap Leak
100026675766	92506 B3	C	Greater than 60	8/7/2024	8/7/2024	214	0.043	9.2 M&R Leak
100025960038	91501 B3	C	Greater than 60	11/25/2024	11/25/2024	330	0.014	4.5 M&R Leak
100025944925	93455 B3	C	Greater than 60	5/6/2024	5/6/2024	127	0.043	5.5 M&R Leak
100025565207	90740 A2	C	Greater than 60	5/2/2024	5/2/2024	123	0.043	5.3 M&R Leak
100025356436	91739 B2	R	Greater than 60	4/				

100026666764	93706 B3	C		Greater than 60	10/7/2024	10/7/2024	281	0.043	12.1 M&R Leak
10002598626	92391 A2	R	Fisher	Greater than 60	5/8/2024	5/8/2024	129	0.02	2.6 Farm Tap Leak
10002628019	91304 B2	C		Greater than 60	8/26/2024	8/26/2024	239	0.043	10.1 M&R Leak
10002648756	93449 B3	C		Greater than 60	10/1/2024	10/1/2024	275	0.043	11.8 M&R Leak
10002679138	93854 A2	C		Greater than 60	11/11/2024	11/11/2024	316	0.043	13.6 Farm Tap Leak
10002593621	93314 A3	C		Greater than 60	6/24/2024	6/24/2024	176	0.043	7.5 M&R Leak
100026381601	93662 B2	C		Greater than 60	9/26/2024	9/26/2024	270	0.043	11.6 Farm Tap Leak
100025453114	93012 B2	C		Greater than 60	3/5/2024	3/5/2024	65	0.043	2.8 Farm Tap Leak
100026442002	92772 A2	C		Greater than 60	9/13/2024	9/13/2024	257	0.043	11.1 M&R Leak
10002604875	93662 A3	C		Greater than 60	10/24/2024	10/24/2024	298	0.043	12.8 Farm Tap Leak
10002607869	93256 A3	C		Greater than 60	4/19/2024	4/19/2024	110	0.043	4.7 Farm Tap Leak
100025778611	92270 B3	C		Greater than 60	5/15/2024	5/15/2024	136	0.043	5.8 M&R Leak
100026007821	90272 A2	C		Greater than 60	12/12/2024	12/12/2024	147	0.043	14.9 Farm Tap Leak
100023463386	93814 A3	C		Greater than 60	1/25/2024	1/25/2024	25	0.043	1.1 Farm Tap Leak
100025245557	93267 A2	O		Greater than 60	2/2/2024	2/2/2024	33	0.043	1.4 M&R Leak
100026814113	92592 B3	C		Greater than 60	11/18/2024	11/18/2024	323	0.043	13.9 M&R Leak
100026279855	94607 B2	C		Greater than 60	8/13/2024	8/13/2024	226	0.043	9.7 M&R Leak
100025607724	93422 B3	C		Greater than 60	4/5/2024	4/5/2024	96	0.043	4.1 M&R Leak
100026552599	92292 A2	C		Greater than 60	11/6/2024	11/6/2024	311	0.043	13.4 Farm Tap Leak
100025607939	93553 B3	C		Greater than 60	4/15/2024	4/15/2024	106	0.043	4.6 M&R Leak
100025704419	91501 B3	R	Grove	Greater than 60	3/20/2024	3/20/2024	80	0.02	1.6 M&R Leak
100026547119	92411 B2	BV	Kentest	Greater than 60	10/7/2024	10/7/2024	281	0.014	3.9 M&R Leak
100026931250	91350 A2	C		Greater than 60	1/8/2024	1/8/2024	8	0.043	0.3 Farm Tap Leak
100025778753	91506 B3	C		Greater than 60	5/6/2024	5/6/2024	127	0.043	5.5 M&R Leak
100026058761	93430 B2	C		Greater than 60	6/11/2024	6/11/2024	163	0.043	7.0 Farm Tap Leak
100026170147	93308 B3	C		Greater than 60	11/13/2024	11/13/2024	318	0.043	13.7 Farm Tap Leak
100024925500	92201 B2	BV	Rockwell (Std.)	Greater than 60	1/10/2024	1/10/2024	10	0.014	0.1 M&R Leak
100025260323	90242 B2	C		Greater than 60	2/21/2024	2/21/2024	52	0.043	2.2 M&R Leak
100025933704	92050 B2	BV	Kentest	Greater than 60	6/12/2024	6/12/2024	164	0.014	2.3 M&R Leak
100025778731	93280 A2	C		Greater than 60	5/12/2024	5/12/2024	122	0.043	5.2 M&R Leak
100025608206	93618 B2	C		Greater than 60	4/23/2024	4/23/2024	114	0.043	4.9 Farm Tap Leak
100025454241	92371 B2	C		Greater than 60	3/9/2024	3/9/2024	69	0.043	3.0 M&R Leak
100025452005	90504 B1	C		Greater than 60	3/15/2024	3/15/2024	75	0.043	3.2 M&R Leak
100025454246	91710 B3	C		Greater than 60	3/5/2024	3/5/2024	65	0.043	2.8 M&R Leak
100026266826	93662 A2	C		Greater than 60	11/19/2024	11/19/2024	324	0.043	13.9 Farm Tap Leak
100025608246	92374 B3	C		Greater than 60	4/18/2024	4/18/2024	109	0.043	4.7 Farm Tap Leak
100026372136	93308 B3	C		Greater than 60	7/26/2024	7/26/2024	208	0.043	8.9 Farm Tap Leak
100025765866	93420 A3	C		Greater than 60	3/29/2024	3/29/2024	89	0.043	3.8 Farm Tap Leak
10002618822	92277 B3	BV	Mueller	Greater than 60	10/30/2024	10/30/2024	304	0.014	4.3 Farm Tap Leak
100026767038	90265 A2	C		Greater than 60	11/4/2024	11/4/2024	309	0.043	13.3 Farm Tap Leak
100025605412	94027 B3	BV	Rockwell (Std.)	Greater than 60	4/8/2024	4/8/2024	99	0.014	1.4 M&R Leak
100026122868	93033 B3	BV	Kentest	Greater than 60	7/15/2024	7/15/2024	197	0.014	2.8 M&R Leak
100026381545	92251 B3	C		Greater than 60	9/23/2024	9/23/2024	267	0.043	11.5 Farm Tap Leak
1000261770295	91706 B2	C		Greater than 60	12/13/2024	12/13/2024	338	0.043	14.5 Farm Tap Leak
100025936744	93308 B3	C		Greater than 60	6/13/2024	6/13/2024	165	0.043	7.1 M&R Leak
10002648809	91501 B3	C		Greater than 60	10/19/2024	10/19/2024	277	0.043	11.9 M&R Leak
100025726748	93561 A2	O		Greater than 60	5/2/2024	5/2/2024	123	0.043	5.3 M&R Leak
100024306091	93280 B2	C		Greater than 60	7/9/2024	7/9/2024	191	0.043	8.2 M&R Leak
100025778230	92879 B2	C		Greater than 60	5/8/2024	5/8/2024	129	0.043	5.5 M&R Leak
100025454533	93240 A2	C		Greater than 60	3/4/2024	3/4/2024	64	0.043	2.8 Farm Tap Leak
100026274120	93399 B2	BV		Greater than 60	8/26/2024	8/26/2024	239	0.014	3.3 Farm Tap Leak
10002548754	93420 B3	C		Greater than 60	10/2/2024	10/2/2024	276	0.043	11.9 M&R Leak
100025708635	92384 B3	C		Greater than 60	3/22/2024	3/22/2024	82	0.043	3.5 Farm Tap Leak
100026551998	93536 B2	C		Greater than 60	9/4/2024	9/4/2024	248	0.043	10.7 Farm Tap Leak
100026684212	92026 A2	C		Greater than 60	10/14/2024	10/14/2024	288	0.043	12.4 Farm Tap Leak
100026387470	93666 B3	C		Greater than 60	4/16/2024	4/16/2024	107	0.043	4.6 Farm Tap Leak
100026770453	90210 A2	C		Greater than 60	12/9/2024	12/9/2024	344	0.043	14.8 Farm Tap Leak
100026810149	92301 A3	C		Greater than 60	11/19/2024	11/19/2024	324	0.043	13.9 M&R Leak
100026709649	92705 B3	C		Greater than 60	12/18/2024	12/18/2024	353	0.043	15.2 M&R Leak
100026170316	92570 B3	C		Greater than 60	12/20/2024	12/20/2024	355	0.043	15.3 Farm Tap Leak
100025688846	93308 B2	C		Greater than 60	3/20/2024	3/20/2024	80	0.043	3.4 M&R Leak
100025936707	93256 B3	C		Greater than 60	6/20/2024	6/20/2024	172	0.043	7.4 Farm Tap Leak
100026280193	91360 B2	C		Greater than 60	8/23/2024	8/23/2024	236	0.043	10.1 M&R Leak
100026552475	92563 A3	C		Greater than 60	10/21/2024	10/21/2024	295	0.043	12.7 Farm Tap Leak
100025452005	92929 B2	C		Greater than 60	4/18/2024	4/18/2024	109	0.043	4.7 M&R Leak
100026381887	92376 A2	C		Greater than 60	11/18/2024	11/18/2024	323	0.02	6.5 Farm Tap Leak
100024772597	90210 A2	R	BelGas	Greater than 60	7/30/2024	7/30/2024	212	0.043	9.1 Farm Tap Leak
100026467236	93263 B3	C		Greater than 60	11/14/2024	11/14/2024	319	0.043	13.7 M&R Leak
100025521387	92584 B3	C		Greater than 60	2/29/2024	2/29/2024	60	0.043	2.6 M&R Leak
100026170246	93662 A3	C		Greater than 60	11/13/2024	11/13/2024	318	0.043	13.7 Farm Tap Leak
100026127497	92831 B3	C		Greater than 60	7/8/2024	7/8/2024	190	0.043	8.2 M&R Leak
100026170233	92374 A2	C		Greater than 60	12/2/2024	12/2/2024	337	0.043	14.5 Farm Tap Leak
100026385401	91274 A3	C		Greater than 60	10/29/2024	10/29/2024	303	0.043	13.0 M&R Leak
100025779222	93063 B2	C		Greater than 60	5/29/2024	5/29/2024	150	0.043	6.5 Farm Tap Leak
100025125880	92509 A2	BV	Rockwell (Std.)	Greater than 60	2/21/2024	2/21/2024	52	0.014	0.7 M&R Leak
100026487357	93449 B3	C		Greater than 60	10/24/2024	10/24/2024	298	0.043	12.8 M&R Leak
100026442376	92026 B2	BV		Greater than 60	9/10/2024	9/10/2024	254	0.014	3.6 M&R Leak
10002631369	93427 B3	C		Greater than 60	3/6/2024	3/6/2024	66	0.043	2.8 Farm Tap Leak
100025811817	90202 B2	C		Greater than 60	4/9/2024	4/9/2024	100	0.043	4.3 M&R Leak
100026770356	93401 A3	C		Greater than 60	12/11/2024	12/11/2024	346	0.043	14.9 Farm Tap Leak
100024925546	92201 B3	BV	Kentest	Greater than 60	1/18/2024	1/18/2024	18	0.014	0.3 M&R Leak
100026178808	92525 B2	C		Greater than 60	10/22/2024	10/22/2024	296	0.043	12.7 Farm Tap Leak
100026603867	91505 A2	C		Greater than 60	9/26/2024	9/26/2024	270	0.043	11.6 Farm Tap Leak
100025365177	91505 B3	C		Greater than 60	1/23/2024	1/23/2024	23	0.043	1.0 M&R Leak
100025449928	92371 B2	BV	Kentest	Greater than 60	3/9/2024	3/9/2024	69	0.014	1.0 M&R Leak
100025260773	92211 B3	C		Greater than 60	2/12/2024	2/12/2024	48	0.043	2.1 M&R Leak
100025935695	92660 B3	C		Greater than 60	6/13/2024	6/13/2024	165	0.043	7.1 M&R Leak
100026266807	92223 B3	C		Greater than 60	8/14/2024	8/14/2024	227	0.043	9.8 Farm Tap Leak
100024927527	91101 B2	C		Greater than 60	1/2/2024	1/2/2024	2	0.043	0.1 M&R Leak
100026911995	92404 B2	C		Greater than 60	12/9/2024	12/9/2024	344	0.043	14.8 M&R Leak
100026490002	93501 A3	C		Greater than 60	10/30/2024	10/30/2024	304	0.043	13.1 M&R Leak
100026052577	93033 B3	R	Fisher	Greater than 60	7/18/2024	7/18/2024	200	0.02	4.0 Farm Tap Leak
10002647429	91360 B3	C		Greater than 60	12/10/2024	12/10/2024	338	0.043	14.5 M&R Leak
100025260901	93291 B2	C		Greater than 60	2/5/2024	2/5/2024	36	0.043	1.5 M&R Leak
100025936449	91325 B3	C		Greater than 60	6/27/2024	6/27/2024	179	0.043	7.7 M&R Leak
100026775432	91784 B2	C	Mooney	Greater than 60	11/5/2024	11/5/2024	310	0.02	6.2 M&R Leak
100026059707	92506 B3	R	Mooney	Greater than 60	5/24/2024	5/24/2024	145	0.02	2.9 M&R Leak
100026381539	92284 B3	C		Greater than 60	10/22/2024	10/22/2024	296	0.043	12.7 Farm Tap Leak
100026819326	92380 A2	BV		Greater than 60	11/27/2024	11/27/2024	332	0.043	14.6 Farm Tap Leak
100026339033	93662 A2	C		Greater than 60	6/4/2024	6/4/2024	156	0.043	6.7 Farm Tap Leak
100026807773	91406 B2	BV	Rockwell (Std.)	Greater than 60	10/11/2024	10/11/2024	285	0.014	4.0 M&R Leak
100026128463	92627 A2	C		Greater than 60	6/22/2024	6/22/2024	174	0.043	7.5 M&R Leak
100024152037	91314 B3	C		Greater than 60	3/25/2024	3/25/2024	85	0.043	3.7 Farm Tap Leak
100025778919	91406 B2	C		Greater than 60	5/16/2024	5/16/2024	137	0.043	5.9 M&R Leak
100025607181	92679 B2	C		Greater than 60	4/19/2024	4/19/2024	110	0.043	4.7 M&R Leak
100025452143	90217 B1	C	Less than or equal to 60	3/18/2024	3/18/2024	78	0.043	3.4 M&R Leak	
100023312526	93219 B3	C		Greater than 60	1/12/2024	1/12/2024	12	0.043	0.5 M&R Leak
100024424642	93463 B3	C		Greater than 60	9/26/2024	9/26/2024	270	0.043	11.6 M&R Leak
100025793684	90306 A3	BV		Greater than 60	4/13/2024	4/13/2024	94	0.043	1.3 Farm Tap Leak
100024426097	91607 B2	C		Greater than 60	9/13/2024	9/13/2024	257	0.043	11.1 M&R Leak
100025453112	91501 A2	C		Greater than 60	3/6/20				

100026127266	93117	A3	C	Greater than 60	7/16/2024	7/16/2024	198	0.043	8.5	M&R Leak
100026132077	92596	B3	C	Greater than 60	6/3/2024	6/3/2024	155	0.043	6.7	M&R Leak
100025778744	92596	B3	C	Greater than 60	5/31/2024	5/31/2024	152	0.043	6.5	M&R Leak
100026495511	93117	B3	C	Greater than 60	8/22/2024	8/22/2024	235	0.043	10.1	M&R Leak
100025993479	91504	A3	C	Greater than 60	5/14/2024	5/14/2024	135	0.043	5.8	M&R Leak
								Sum Total	6.582	

Appendix 5; Rev. 03/27/2025

Header column "Comment" boxes displayed below for reference.	
Column Heading	Description and Definition of Required Contents (If not self-explanatory)
Population - Station Emissions	
Number of Stations	
Station Classification	A1 = above grade, pressure <100 psi A2 = above grade, pressure =100-300 psi A3 = above grade, pressure >300 psi B1 = below grade, pressure <100 psi B2 = below grade, pressure =100-300 psi B3 = below grade, pressure >300 psi
Emission Factor (Mscf/yr)	
Annual Emissions (Mscf)	
Explanatory Notes / Comments	
Leak Based - Station Emissions	
ID	
Geographic Location	GIS, zip code, or equivalent
M&R Station or Farm Tap Classification	A1 = above grade, pressure <100 psi A2 = above grade, pressure = 100 - 300 psi A3 = above grade, pressure >300 psi B1 = below grade, pressure <100 psi B2 = below grade, pressure = 100 - 300 psi B3 = below grade, pressure > 300 psi F1 = farm tap, pressure <100 psi F2 = farm tap, pressure = 100 - 300 psi F3 = farm tap, pressure >300 psi
Component Type	C = copper CI = cast iron P = plastics (Acetyl, ABS, PE, PVC, etc.) PB = cathodically protected steel, bare PC = cathodically protected steel, coated UB = unprotected steel, bare UC = unprotected steel, coated
Incoming Pressure (psi)	
Leak Grade	
Upgraded Leak Grade or Downgraded Leak Grade	
Leak Discovery Method	
Discovery Date (MM/DD/YY)	
Re-Grade Date (MM/DD/YY)	
Repair Date (MM/DD/YY)	
Scheduled Repair Date (MM/DD/YY)	

Reason for Not Scheduling a Repair	
Number of Days Leaking	
Number of Days to Repair	
Emission Factor (Mscf/Day)	
Annual Emissions (Mscf)	
Explanatory Notes / Comments	
Leak Based - Unknown Leaks	
M&R Station Classification; Leak Grade or Bubble Size Category if available.	Utilities should add rows according to their bubble size categories and nomenclature, and should include a no-bubble category. For example, include a row for each: Foam/ Indeterminate; Bubbles; Soap Blown Off; and No Bubbles.
Total System M&R Station per survey Cycle	
M&R Station on Annual Survey [MX,A]	
M&R Station on Multi-Year Survey Cycles [MXTot]	
Survey Interval (yrs) [I]	
M&R Station Surveyed Annually from Multi-Year Survey Cycles [MX,I]	
Total # of Leaks Detected from Survey [N _{x,L}]	
Annual Leak Rate [Leaks / Meter]	$R_x = \frac{N_{x,L}}{M_{x,A} + (I \times M_{x,I})}$
# of Unknown Leaks	$N_{x,unk} = \overline{R}_x \times (M_x^{Tot} - M_{x,I}) \times \frac{I}{2}$ If the operator changed the leak survey cycle during the report year that requires more detailed calculations based on the approved calculation methodology to determine the number of unknown leaks an additional worksheet may be added to show the calculations.
Total # of Leaks Detected from O&M* [N _{x,O}]	
Leak Based - Emissions Summary	
Grade if Applicable	
Count of Leaks Carried over from Prior Year	Based on a leak start date prior to the first day of the year of interest.
Count of Leaks Discovered in the Year of Interest	The total number of leaks by grade or category discovered in the year of interest.
Count of Leaks Repaired in the Year of Interest	If a leak is downgraded to not leaking, do not count it.
Average Days to Repair Leaks	The average days to repair leaks should be baase on the formula: (Repair Date/Time minus Discovery Date/Time) plus (one day, unless using a discrete time stamp for leak repairs), then take the sum and divide by number of leaks repaired by grade to get the average days to repair.

Count of Estimated Unsurveyed Leaks in the Year of Interest	For leaks identified in Unsurveyed areas extrapolate the proportion of leak counts by grade that were found in the respective areas based on the year or periods used to estimate the unsurveyed leak count. If the unsurveyed leak count was based on the current year leak count by grade detected then use the current proportion of graded leak count applied to the unsurveyed leaks.
Count of Remaining Leaks at final day of the Year of Interest (12/31/22)	This count is only of the actual leaks detected in the operator's system that have not been repaired as of 12/31 of the year of interest.
Emissions from Leaks Carried over from Prior Year.	Based on a leak start date prior to the first day of the year of interest. This includes leaks discovered through O&M and survey activities.
Emissions from Leaks Discovered in the Year of Interest.	The total number of leaks by grade or category discovered in the year of interest. This includes leaks discovered through O&M and survey activities.
Emissions from Estimated Unsurveyed Leaks in the Year of Interest	The emissions by grade would be on the same basis that used to extrapolate the count of leaks in the unsurveyed areas. For example: For leaks identified in Unsurveyed areas extrapolate the proportion of leak emissions by grade that were found in the respective areas based on the year or periods used to estimate the unsurveyed leak count. If the unsurveyed leak count was based on the current year leaks detected then use the current proportion of graded leaks applied to the unsurveyed leak emissions.
Total Emissions in the Year of Interest [Mscf of Natural Gas]	
All Damages	
ID	
Geographic Location	GIS, zip code, or equivalent
Damage Type	E = excavation damage N = natural force damage O = other outside force damage
Pipe Material	PB = cathodically protected steel, bare PC = cathodically protected steel, coated UB = unprotected steel, bare UC = unptotected steel, coated
Pipe Size (nominal)	
Pipe Age (months)	
Pressure (psi)	MOP = maximum operating pressure over the past year
Leak Grade	1 = grade 1 2 = grade 2 2+ = grade 2+ 3 = grade 3 N = non-graded or ungraded
Above Ground or Below Ground	AH = above ground, hazardous AN = above ground, non-hazardous B = below ground

Discovery Date (MM/DD/YY)	
Repair Date (MM/DD/YY)	
Number of Days Leaking	If date and time stamp are reliable and used consistently by respondent, then emissions may be calculated based on actual time leaking. E.G. Repair time - damage event time = duration of event. If respondent has average or historical leak duration based on the nature and circumstances of damages, then these may be applied to like damage events. The emissions factors should be adequately supported and explained in the filing. If actual time stamps and historical averages are not available, then whole days should be used in the engineering calculation. The leak begins with the damage event date thru repair date or December 31st of subject year, whichever is later. E.G. Days Leaking = Repair date - date of damage + 1 day.
Emission Factor (Mscf/Day)	
Annual Emissions (Mscf)	
Explanatory Notes / Comments	Provide method of calculation and example of formula. Explain how any EF's used were derived.
Blowdowns	
ID	
Geographic Location	GIS, zip code, or equivalent
Number of Blowdown Events	
Annual Emissions (Mscf)	
Explanatory Notes / Comments	
Component Vented Emissions	
ID	
Geographic Location	GIS, zip code, or equivalent
Station Classification	A1 = above grade, pressure <100 psi A2 = above grade, pressure =100-300 psi A3 = above grade, pressure >300 psi B1 = below grade, pressure <100 psi B2 = below grade, pressure =100-300 psi B3 = below grade, pressure >300 psi
DeviceType	C = connector OE = open-ended line M = meter P = pneumatic device PR = pressure relief valve V = valve O = other devices
Bleed Rate	L = low bleed I = intermittent bleed H = high bleed NA = not applicable
Manufacturer	
NumberofDays Emitting	Because the emissions are a factor of design or function, these emissions counted for the entire year.

Engineering or Manufacturer's based Estimate of Emissions	
Annual Emissions(Mscf)	The emissions should be based on 365 days times the actual volume emitting if known, or the approved Emissions Factor. Note whether the emissions are based on actual volumetric measures in the next column.
Explanatory Notes / Comments	
Component Fugitive Leaks	
ID	
Geographic Location	GIS, zip code, or equivalent
Station Classification	A1 = above grade, pressure <100 psi A2 = above grade, pressure =100-300 psi A3 = above grade, pressure >300 psi B1 = below grade, pressure <100 psi B2 = below grade, pressure =100-300 psi B3 = below grade, pressure >300 psi
DeviceType	C = connector OE = open-ended line M = meter P = pneumatic device PR = pressure relief valve V = valve O = other devices
Bleed Rate	L = low bleed I = intermittent bleed H = high bleed NA = not applicable
Manufacturer	
Pressure(psi)	MOP = maximum operating pressure over the past year
Discovery Date(MM/DD/YY)	List the actual discovery date. If the leak was discovered in the year of interest, then we will assume the component was leaking from the beginning of the year for emissions reporting purposes.
Repair Date(MM/DD/YY)	Date that the component repair stopped the leak. Any associated blowdowns as a result of the repair should be included in the blowdowns tab.
NumberofDays Leaking	Assume Leaking from January 1 of subject year or prior survey date, whichever is later, thru the repair date (if repaired in year of interest) or December 31 of subject year, whichever is earlier. For O&M discovered leaks, assume that the leak begins with the discovery date thru repair date or December 31st of subject year, whichever is earlier.
Emission Factor(Mscf/day)	
Annual Emissions(Mscf)	
Explanatory Notes / Comments	